

GOLF 57 WALL LED

IP20

CLASS
IF
MARK

C E



FEATURES & BENEFITS

- > Stunning, decorative design
- > Complements the Golf 57 LED surface/suspended/recessed/track products
- > Average rated LED life: 54,000hrs - (L90/B10) - maintenance free
- > Optimum colour consistency - 3 step MacAdam ellipse tolerance




PERFORMANCE

Light source	LED
Emission	Direct / Direct & Indirect
Luminaire output	1129 - 1965lm (DI) 2503 - 2774lm (DI-IN)
CRI	>80

MATERIALS

Body	Aluminium profile
Finish	Grey / White / Black
Diffuser	Opal polycarbonate TP(a)
Mounting	Wall bracket supplied



OPTIONS

- > 3hr emergency (840mm length only)
- > Other RAL finishes and lengths available
- > Lower output versions on request
- > 2-step MacAdam ellipse tolerance
- > Longer lengths available up to 2170mm
- > Internal fuse and LSOH cables




LAMP	COLOUR TEMP	DELIVERED LUMENS	LENGTH	EMISSION	GREY	WHITE	BLACK
13W	3000K	1129lm	545	Direct	65000301	65003901	65007501
13W	4000K	1139lm	545	Direct	65000401	65004001	65007601
19W	3000K	1684lm	745	Direct	65000701	65004301	65007901
19W	4000K	1734lm	745	Direct	65000801	65004401	65008001
20W	3000K	1915lm	840	Direct	65001101	65004701	65008301
20W	4000K	1965lm	840	Direct	65001201	65004801	65008401
25W	3000K	2503lm	745	Direct/Indirect	65011101	65014301	65017501
25W	4000K	2543lm	745	Direct/Indirect	65011201	65014401	65017601
27W	3000K	2764lm	840	Direct/Indirect	65011501	65014701	65017901
27W	4000K	2774lm	840	Direct/Indirect	65011601	65014801	65018001

GOLF 65 WALL LED

IP20 CLASS I CE

FEATURES & BENEFITS

- > Energy efficient COB LED light source
- > Average 54,000hrs LED life (L90/B10)
- > Optimum colour consistency - 3 step MacAdam ellipse tolerance
- > Decorative accent luminaire
- > Complements the Golf 65 range of products



PERFORMANCE


Light source	LED
Emission	Direct
LED output	1230 - 2500lm
Luminaire output	460lm - 960lm
CRI	>80

MATERIALS

Body	Aluminium profile
Finish	Grey / White / Black
Diffuser	Opal PMMA

OPTIONS

- > Other RAL finishes



LAMP	COLOUR TEMP	DELIVERED LUMENS	FINISH	DIMENSIONS	STANDARD	DALI
9W	3000K	460lm	Grey	394x 92 x 46	22200501	22200503
9W	4000K	470lm	Grey	394 x 92 x 46	22200601	22200603
17W	3000K	940lm	Grey	684 x 92 x 46	22200701	22200703
17W	4000K	960lm	Grey	684 x 92 x 46	22200801	22200803
9W	3000K	460lm	White	394 x 92 x 46	22200901	22200903
9W	4000K	470lm	White	394 x 92 x 46	22201001	22201003
17W	3000K	940lm	White	684 x 92 x 46	22201101	22201103
17W	4000K	960lm	White	684 x 92 x 46	22201201	22201203
9W	3000K	460lm	Black	394 x 92 x 46	22201301	22201303
9W	4000K	470lm	Black	394 x 92 x 46	22201401	22201403
17W	3000K	940lm	Black	684 x 92 x 46	22201501	22201503
17W	4000K	960lm	Black	684 x 92 x 46	22201601	22201603

TILBURY LED

IP54 CLASS I CE



SECTION 04: WALL

FEATURES & BENEFITS

- > Energy efficient LED light source
- > Direct & indirect illumination
- > Average 60,000hrs LED life (L80/B20) - maintenance free
- > Optimum colour consistency - 3 step MacAdam ellipse tolerance
- > Ideal for decorative or accent illumination
- > Resistant to voltage fluctuations



PERFORMANCE


Light source	LED
LED output	630 - 660lm
Luminaire output	600 - 620lm
Luminaire efficiency	≥75lm/W
CRI	>80
Beam angle	20° / 40°

MATERIALS

Body	Aluminium profile
Finish	Grey / White / Black
Diffuser	Polycarbonate

OPTIONS

- > IP65 version
- > Other RAL finishes available



LAMP	COLOUR TEMP	DELIVERED LUMENS	BEAM	GREY	WHITE	BLACK
2x4W	3000K	600lm	20°	40200101	40200501	40200901
2x4W	4000K	620lm	20°	40200201	40200601	40201001
2x4W	3000K	600lm	40°	40200301	40200701	40201101
2x4W	4000K	620lm	40°	40200401	40200801	40201201

www.spearlighting.com | T: 01895 746006 | F: 01895 746005

INVICTA LED

IP20 CLASS I 850° C E



FEATURES & BENEFITS

- > Decorative, elegant design
- > Average 60,000hrs LED life (L70/B10) - maintenance free
- > Optimum colour consistency - 3 step MacAdam ellipse tolerance




PERFORMANCE

Light source	LED
Light emission	Indirect
Luminaire output	2145 - 4485lm
Luminaire efficiency	≥97lm/W
CRI	>80
Beam angle	120°

MATERIALS


Body	Aluminium
Finish	Grey / White / Black
Diffuser	Opal polycarbonate - TP(a)



18W, 4000K

OPTIONS

- > 3hr emergency
- > DALI



LAMP	COLOUR TEMP	DELIVERED LUMENS	DIMENSIONS	GREY	WHITE	BLACK
18W	3000K	2145lm	310 x 200	43700101	43700501	43700901
18W	4000K	2250lm	310 x 200	43700201	43700601	43701001
36W	3000K	4275lm	590 x 200	43700301	43700701	43701101
36W	4000K	4485lm	590 x 200	43700401	43700801	43701201



IP43 CLASS I F MARK CE

LYRA LED

A curved, wall mounted LED luminaire with a simple, clean, timeless design that has been curated to complement any interior.

LYRA LED

FEATURES & BENEFITS

- > Decorative, elegant design
- > Stunning hand-blown glass diffuser with a homogeneous light distribution
- > Average rated LED life: >67,000hrs (L80/B10) - maintenance free
- > Optimum colour consistency - 3 step MacAdam ellipse tolerance



PERFORMANCE



Light source	LED
LED output	1940 - 3370lm
Luminaire output	1280 - 2430lm
Luminaire efficiency	≥85lm/W
CRI	>80

MATERIALS

Body	Sheet steel
Finish	White
Diffuser	Triple layer opal matt glass

OPTIONS

- > Replacement diffuser



LAMP	COLOUR TEMP	DELIVERED LUMENS	DIMENSIONS	STANDARD	DALI	EMERGENCY	
						STANDARD	DALI
15W	3000K	1280lm	250 x 280	43600101	43600103	43600191	43600193
15W	4000K	1330lm	250 x 280	43600201	43600203	43600291	43600293
25W	3000K	2330lm	350 x 390	43600301	43600303	43600391	43600393
25W	4000K	2430lm	350 x 390	43600401	43600403	43600491	43600493

NARA LED

IP43

CLASS
IF
MARK

C E

FEATURES & BENEFITS

- > Semi-circular decorative design
- > Hand-blown glass diffuser with a homogeneous light distribution
- > Average rated LED life: >67,000hrs (L80/B10) - maintenance free
- > Optimum colour consistency - 3 step MacAdam ellipse tolerance



PERFORMANCE


Light source	LED
LED output	1940 - 2700lm
Luminaire output	1320 - 1760lm
Luminaire efficiency	≥84lm/W
CRI	>80

MATERIALS

Body	Sheet steel
Finish	White
Diffuser	Triple layer opal matt glass

OPTIONS

- > Trims - stainless steel (polished / matt) white
- > Microwave sensor
- > Replacement shade
- > Bluetooth enabled



20W, 4000K



LAMP	COLOUR TEMP	DELIVERED LUMENS	DIMENSIONS	STANDARD	DALI	EMERGENCY STANDARD	DALI
15W	3000K	1320lm	Ø360 x 200	42900101	42900103	42900191	42900193
15W	4000K	1380lm	Ø360 x 200	42900201	42900203	42900291	42900293
20W	3000K	1680lm	Ø440 x 230	42900301	42900303	42900391	42900393
20W	4000K	1760lm	Ø440 x 230	42900401	42900403	42900491	42900493

NEVA LED

IP43 CLASS I F MARK CE

SECTION 04: WALL

FEATURES & BENEFITS

- > Elegant curved design
- > Hand-blown glass diffuser with a homogeneous light distribution
- > Average rated LED life: >67,000hrs (L80/B10) - maintenance free
- > Optimum colour consistency - 3 step MacAdam ellipse tolerance



PERFORMANCE



Light source	LED
LED output	970 - 2240lm
Luminaire output	660 - 1720lm
Luminaire efficiency	≥83lm/W
CRI	>80

MATERIALS

Body	Sheet steel
Finish	White
Diffuser	Triple layer opal matt glass

OPTIONS

- > Replacement diffuser



LAMP	COLOUR TEMP	DELIVERED LUMENS	DIMENSIONS	STANDARD	DALI	EMERGENCY	
						STANDARD	DALI
8W	3000K	660lm	240 x 120	44500101	44500103	44500191	44500193
8W	4000K	690lm	240 x 120	44500201	44500203	44500291	44500293
17W	3000K	1630lm	340 x 170	44500301	44500303	44500391	44500393
17W	4000K	1720lm	340 x 170	44500401	44500403	44500491	44500493

www.spearlighting.com | T: 01895 746006 | F: 01895 746005



IP43 CLASS I F MARK CE

NELA LED

A decorative wall luminaire featuring a triple layer hand blown glass diffuser, available with optional trims.

Suitable for corridors, reception areas and general hospitality environments.

NELA LED



FEATURES & BENEFITS

- > Energy efficient LED light source
- > UV stabilised
- > Choice of trim finishes
- > Average rated LED life: >67,000hrs (L80/B10) - maintenance free
- > Optimum colour consistency - 3 step MacAdam chromaticity tolerance

PERFORMANCE

Light source	LED
LED output	970 - 2030lm
Luminaire output	630 - 1320lm
Luminaire efficiency	≥79lm/W
CRI	>80

MATERIALS


Body	Sheet steel
Diffuser	Triple layer opal matt glass

OPTIONS


- > Trims - stainless steel (polished/ground) white
- > Microwave sensor (larger size only)
- > Replacement shade



Optional trim



15W, 3000K



LAMP	COLOUR TEMP	DELIVERED LUMENS	DIMENSIONS	STANDARD
8W	3000K	630lm	Ø250 x 140	43200101
8W	4000K	660lm	Ø250 x 140	43200201
15W	3000K	1260lm	Ø350 x 190	43200301
15W	4000K	1320lm	Ø350 x 190	43200401

FOCUS WALL

IP20

CLASS
I

C E

An aesthetic family of high performance, low glare wall luminaires providing direct and indirect illumination.

FEATURES & BENEFITS

- > Stunning black pearl reflector for aesthetic appeal
- > High visual comfort - exceptionally low glare
- > Cylindrical and cuboid versions available for design flexibility
- > Average rated LED life: >50,000hrs (L80/B10)
- > Optimum colour consistency - 3 step MacAdam ellipse tolerance

PERFORMANCE



Light source	LED
Luminaire output	2 x 435lm - 2 x 1395lm
CRI	90
Beam angle	15° / 24° / 38°
UGR	<19

MATERIALS

Body	Aluminium
Finish	Grey / White / Black
Reflector	Black pearl
Mounting	Surface wall

OPTIONS

- > Triac dimming
- > Other RAL colours and 2700K available
- > Champagne gold anti-glare reflector
- > Honeycomb, linear spread lens and spread lens accessories
- > Complementary pendant, recessed and surface downlights and track luminaires



FOCUS WALL

LAMP	COLOUR TEMP	DELIVERED LUMENS	BEAM	DIMENSIONS	GREY	WHITE	BLACK
2x5W	3000K	2x 435lm	15°	Ø53 x 120	45300101	45301901	45303701
2x5W	4000K	2 x 455lm	15°	Ø53 x 120	45300201	45302001	45303801
2x5W	3000K	2 x 450lm	24°	Ø53 x 120	45300301	45302101	45303901
2x5W	4000K	2 x 480lm	24°	Ø53 x 120	45300401	45302201	45304001
2x5W	3000K	2 x 448lm	38°	Ø53 x 120	45300501	45302301	45304101
2x5W	4000K	2 x 468lm	38°	Ø53 x 120	45300601	45302401	45304201
2x10W	3000K	2 x 830lm	15°	Ø73 x 250	45300701	45302501	45304301
2x10W	4000K	2 x 855lm	15°	Ø73 x 250	45300801	45302601	45304401
2x10W	3000K	2 x 852lm	24°	Ø73 x 250	45300901	45302701	45304501
2x10W	4000K	2 x 882lm	24°	Ø73 x 250	45301001	45302801	45304601
2x10W	3000K	2 x 840lm	38°	Ø73 x 250	45301101	45302901	45304701
2x10W	4000K	2 x 870lm	38°	Ø73 x 250	45301201	45303001	45304801
2x15W	3000K	2 x 1310lm	15°	Ø93 x 320	45301301	45303101	45304901
2x15W	4000K	2 x 1360lm	15°	Ø93 x 320	45301401	45303201	45305001
2x15W	3000K	2 x 1355lm	24°	Ø93 x 320	45301501	45303301	45305101
2x15W	4000K	2 x 1395lm	24°	Ø93 x 320	45301601	45303401	45305201
2x15W	3000K	2 x 1350lm	38°	Ø93 x 320	45301701	45303501	45305301
2x15W	4000K	2 x 1385lm	38°	Ø93 x 320	45301801	45303601	45305401
2x5W	3000K	2x 435lm	15°	53 x 53 x 180	45305501	45307301	45309101
2x5W	4000K	2 x 455lm	15°	53 x 53 x 180	45305601	45307401	45309201
2x5W	3000K	2 x 450lm	24°	53 x 53 x 180	45305701	45307501	45309301
2x5W	4000K	2 x 480lm	24°	53 x 53 x 180	45305801	45307601	45309401
2x5W	3000K	2 x 448lm	38°	53 x 53 x 180	45305901	45307701	45309501
2x5W	4000K	2 x 468lm	38°	53 x 53 x 180	45306001	45307801	45309601
2x10W	3000K	2 x 830lm	15°	73 x 73 x 250	45306101	45307901	45309701
2x10W	4000K	2 x 855lm	15°	73 x 73 x 250	45306201	45308001	45309801
2x10W	3000K	2 x 852lm	24°	73 x 73 x 250	45306301	45308101	45309901
2x10W	4000K	2 x 882lm	24°	73 x 73 x 250	45306401	45308201	45310001
2x10W	3000K	2 x 840lm	38°	73 x 73 x 250	45306501	45308301	45310101
2x10W	4000K	2 x 870lm	38°	73 x 73 x 250	45306601	45308401	45310201
2x15W	3000K	2 x 1310lm	15°	93 x 93 x 320	45306701	45308501	45310301
2x15W	4000K	2 x 1360lm	15°	93 x 93 x 320	45306801	45308601	45310401
2x15W	3000K	2 x 1355lm	24°	93 x 93 x 320	45306901	45308701	45310501
2x15W	4000K	2 x 1395lm	24°	93 x 93 x 320	45307001	45308801	45310601
2x15W	3000K	2 x 1350lm	38°	93 x 93 x 320	45307101	45308901	45310701
2x15W	4000K	2 x 1385lm	38°	93 x 93 x 320	45307201	45309001	45310801

MIAMI LED

A modern, decorative wall luminaire, part of our "Concrete Series", exuding industrial chic.

PERFORMANCE

Lamp	2 x 7W dimmable LED
Lamp holder	GU10
Lumen output	2 x 620lm / 2 x 640lm
Colour temperature	3000K / 4000K
CRI	>80

MATERIALS



Body	Concrete / Concrete & Teak wood
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Dimensions	Width: 100mm, Depth: 100mm, Height: 240mm



OPTIONS

- > 9W lamp (820lm 3000K / 840lm 4000K)
- > Brass overcoat

BASE COLOUR



Optional Brass finish

LAMP	FINISH	CONCRETE		CONCRETE & TEAK WOOD	
		3000K	4000K	3000K	4000K
2x7W	Natural	56200107	56200907	56201707	56202507
2x7W	Grey	56200207	56201007	56201807	56202607
2x7W	Anthracite	56200307	56201107	56201907	56202707
2x7W	Black	56200407	56201207	56202007	56202807
2x7W	Chocolate	56200507	56201307	56202107	56202907
2x7W	Green	56200607	56201407	56202207	56203007
2x7W	Blue	56200707	56201507	56202307	56203107
2x7W	Ochre	56200807	56201607	56202407	56203207

HAVANA LED

A stylish, angled wall luminaire, part of our "Concrete Series", available in multiple finishes to suit any interior.

PERFORMANCE

Lamp	LED
Luminaire output	210lm
Colour temperature	3000K / 4000K
CRI	>80


MATERIALS

Body	Concrete
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Dimensions	Width: 130mm, Depth: 92mm, Height: 225mm

OPTIONS

- > Decorative finish
- > Liquid metal overcoat


BASE COLOUR



Natural Grey Anthracite Black Chocolate Green Blue Ochre



Optional Liquid metal overcoat



130

92

LAMP	FINISH	3000K	4000K
3W	Natural	56300107	56300907
3W	Grey	56300207	56301007
3W	Anthracite	56300307	56301107
3W	Black	56300407	56301207
3W	Chocolate	56300507	56301307
3W	Green	56300607	56301407
3W	Blue	56300707	56301507
3W	Ochre	56300807	56301607

MANHATTAN WALL

PERFORMANCE

Lamp	7W dimmable LED
Lamp holder	GU10
Luminaire output	620lm / 640lm
Colour temperature	3000K / 4000K
CRI	>80


MATERIALS

Body	Concrete
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Bracket	Steel
Dimensions	Ø130mm, height: 200mm, 0.8Kg

OPTIONS


- > 9W lamp (820lm 3000K / 840lm 4000K)
- > Decorative finishes

BASE COLOUR




Natural Grey Anthracite Black Chocolate

OPTIONAL DECORATIVE FINISHES



Salt & Pepper Rusty Grey Olive Grey



LAMP	FINISH	3000K	4000K
7W	Natural	55107307	55108107
7W	Grey	55107407	55108207
7W	Anthracite	55107507	55108307
7W	Black	55107607	55108407
7W	Chocolate	55107707	55108507
7W	Green	55107807	55108607
7W	Blue	55107907	55108707
7W	Ochre	55108007	55108807